Easiest Helps **Doctor or Nurse TANNER** CLINIC **Best at Preventing** Helps Less or No with Periods Pregnancy to Use **Prevent STD's** Required Hormones can cause irregular bleeding and THE IMPLANT spotting long lasting (up to 3 years) **Low Maintenance** 99% Effective can make periods you can become pregnant right once put in it must be progestinand cramps there is nothing placed and only and after it is removed can cost \$0-\$1300 you need to lighter or go removed by no it may lower the risk of uterine lining away all do for 3 years a clinician estrogen cancer, ovarian cancer, and PCOS together may cause mood changes placed in the skin of the upper arm may be left in place 3 to 7 years, **PROGESTIN IUD** depending on which IUD you choose you can become pregnant right 99% Effective **Low Maintenance** must be placed after removal once put in cramps in uterus by it may lower the risk of uterine lining there is nothing a clinician can cost \$0-\$1300 you need to may cause cancer, ovarian cancer, and PCOS do for 3-7 lighter monthly rarely, a uterus is injured during usually removed years bleeding, spotting placement by a clinician or no monthly bleeding at all may be left in place for 10 years, **COPPER IUD** depending on which IUD you choose may cause cramps you can become pregnant right **Low Maintenance** and monthly after removal once put in bleeding must be placed it may lower the risk of uterine lining there is nothing in uterus by can cost \$0-\$1300 may cause spotting cancer, ovarian cancer, and PCOS you need to a clinician between monthly do for 10 rarely, a uterus is injured during bleeding usually removed years placement (testosterone may help) by a clinician get every 3 months (13 weeks) THE SHOT private for user helps prevent cancer of the uterus Used on a Schedule give yourself progestin- may cause weight gain, depression, can make the shot or only and periods and hair or skin changes, change in sex drive

works best if

you always get

it on time

get it in a

medical office

cramps

lighter or go

away altogether

no

estrogen

any birth control can be discontinued early due to intolerance, side effects, or desire to conceive

• it may lower the risk of uterine lining

cancer, ovarian cancer, and PCOS

side effects may last up to 6 months

after you stop the shots

can cost \$0-\$150

TANNER CLINIC		Best at Preventing Pregnancy	Easiest to Use	Helps with Periods	Helps Prevent STD's	Doctor or Nurse Required	Less or No Hormones
THE PILL Used on a Schedule can cost \$0-\$50	 often causes spotting, which may last for many months helps prevent cancer of the ovaries you can become pregnant right after stopping the pills may cause nausea, weight gain, headaches, change in sex drive some of these can be relieved by changing to a new brand 	93% Effective must take daily to be effective		regulates and lightens periods, eases period symptoms can be used to skip periods		you need a prescription from a doctor or a nurse	
Used on a Schedule can cost \$0-\$50	 can make monthly bleeding more regular and less painful may cause spotting the first few months you can become pregnanty right after stopping the pills it may lower the risk of uterine lining cancer, and PCOS may cause depression, hair or skin changes, change in sex drive 	93% Effective must take daily to be effective		regulates and lightens periods, eases period symptoms can be used to skip periods		you need a prescription from a doctor or a nurse	
THE PATCH Used on a Schedule can cost \$0-\$150	 may cause spotting the first few months you can become pregnant right after stopping the patch can irritate skin under the patch this method contains estrogen - it is unclear if estrogen interacts with testosterone no patch in week 4 	93% Effective apply a new patch once a week for 3 weeks		can make monthly bleeding more regular and less painful		you need a prescription from a doctor or a nurse	
THE RING Used on a Schedule can cost \$0-\$200	 can increase vaginal discharge there are two types: monthly & yearly one size fits all private you can become pregnant right after stopping the ring this method contains estrogen - 	93% Effective		can make monthly bleeding more regular and less painful		you need a prescription from a doctor or a nurse	

take out once

a month/year

may cause

spotting the first

few months

any birth control can be discontinued early due to intolerance, side effects, or desire to conceive

it is unclear if estrogen interacts

with testosterone

TANNER CLINIC	Best at Preventing Pregnancy	Easiest to Use	Helps with Periods	Helps Prevent STD's	Doctor or Nurse Required	Less or No Hormones
 use a polyurethane condom if allergic to latex can buy at many stores can help prevent early ejaculation can be used for oral, vaginal and anal sex can decrease penile sensation can break or slip off protects against HIV and STD's 	86% Effective			use every time to help prevent STD's		no hormones
 use a new condom each time you have sex use extra lubrication as needed protects against HIV and other STD's can cost \$0-\$3 may increase vaginal/anal pleasure good for people with a latex allergy may be noisy, hard to insert, and slip out during sex 	79 % Effective				may require a prescription from your health care provider	no hormones
 pull penis out of vagina before ejaculations (before coming) costs nothing does NOT work if penis is not pulled out in time less pleasure for some must interrupt sex pregnancy may happen if even a little bit of semen gets in the vagina 	78% Effective					no hormones
 use with spermicide every time can last several years costs very little to use using spermicide may increase the risk of getting HIV should NOT be used with vaginal bleeding or infection raises risk of bladder infection 	83% Effective			may protect against some infections, but not HIV	you need a prescription from a clinician	no hormones

**any birth control can be discontinued early due to intolerance, side effects, or desire to conceive

TANNER CLINIC		Best at Preventing Pregnancy	Easiest to Use	Helps with Periods	Helps Prevent STD's	Doctor or Nurse Required	Less or No Hormones
Can buy can cost \$0-\$270 can buy can buy can buy can buy can buy can buy may ra may ra may ra may irr cream,	spermicide each time you have sex y at many stores put in as part of sex/foreplay in many forms: cream, gel, e, foam, inserts, film ise the risk of getting HIV ritate vagina, penis gel, and foam can be messy ot require a prescription	79% Effective apply a new patch once a week for 3 weeks					no hormones
After Unprotected Sex cost \$10-\$50 (not including possible clinic fees) unprot you car unprot availab can get prescri require	best the sooner you take it after ected sex n take EC up to 5 days after ected sex ele at pharmacies, health centers t progestin EC without a ption; ulipristal acetate EC es a prescription	58-94% Effective		your next monthly bleeding may come early or late may cause spotting		talk to a provider to see which one is best for you	
Permanent can cost \$0-\$1,000 that ca this me effectiv it is mo than tu reversa risks in	cian blocks or cuts the tubes rry sperm from your testicles ethod is permanent and highly re ore effective, safer, and cheaper abal procedures al is difficult include infection, pain and bleeding is up to 3 months to work	99% Effective	lasts for life			must be done by a clinician no general anesthesia needed	
Permanent can cost \$0-\$6,000 a clinic your be this me effectiv reversa risks in	ethod is permanent and highly	99% Effective	lasts for life			must be done by a clinician	no hormones

**any birth control can be discontinued early due to intolerance, side effects, or desire to conceive