

BENADRYL DOSAGE

CHILDS WEIGHT	20-24 LBS	25-37 LBS	38-49 LBS	50-99 LBS	100+ LBS
LIQUID 2.5 MG/5 ML (1 TSP = 5 ML)	3/4 TSP.	1 TSP	1 ½ TSP	2 TSP	4 TSP
BENADRYL CHEWABLE 12.5 MG	—	1 TABLET	1 ½ TABLET	2 TABLET	4 TABLET
CAPSULES 25 MG	—	—	—	1 CAPSULE	2 CAPSULES

MAY REPEAT DOSAGE EVERY 6 HOURS AS NEEDED

CLARITIN DOSAGE

	2-5 YEARS	6-12 YEARS	12+ YEARS
CHILDREN'S LIQUID 5MG/ 5ML (1 TSP = 5 ML)	3/4 TSP.	1 TSP	1 ½ TSP
CHILDREN'S CHEWABLE 5MG TABLETS	—	1 TABLET	1 ½ TABLET
TABLETS 10 MG	—	—	—

ZYRTEC DOSAGE

	6 MOS - 2 YRS.	2-5 YRS.	6+ YRS.
CHILDREN'S LIQUID 1MG/ 1ML (1 TSP = 5 ML)	½ TSP. ONCE DAILY	½ OR 1 TSP. ONCE DAILY	1 OR 2 TSP. ONCE DAILY
CHILDREN'S CHEWABLE 5MG TABLETS		1 TABLET ONCE DAILY	2 TABLETS ONE DAILY
CHILDREN'S CHEWABLE 10 MG TABLETS		N/A	1 TABLETS ONCE DAILY
TABLETS 10 MG		N/A	1 TABLET ONCE DAILY

DRAMAMINE DOSAGE

CHILDS AGE	UNDER 2	2-5 YRS.	6-11 YRS.	12 & OVER
DOSE	NOT RECOMMENDED	12-25 MG EVERY 6 TO 8 HRS	25-50 MG EVERY 6 TO 8 HRS	50 TO 100 MG EVERY 4 TO 6 HRS
MAXIMUM DOSE		75 MG WITHIN 24 HRS	150 MG WITHIN 24 HRS	400 MG WITHIN 24 HRS

DIMETAPP DOSAGE

CHILDS AGE	UNDER 2	2-5 YRS.	6-11 YRS.	12 & OVER
DOSE	NOT RECOMMENDED	2.5 ML EVERY 4 TO 6 HRS	5 ML EVERY 4 TO 6 HRS	5 TO 10 ML EVERY 4 TO 6 HRS
MAXIMUM DOSE		10 ML WITHIN 24 HRS	20 ML WITHIN 24 HRS	40 ML WITHIN 24 HRS